



Lumber, Posts, & Trusses

Windows, Doors, Post Frame Accessories



Table of Contents

Yellow Pine #1 and MSR	Pg. L3
Sruce/Pine/Fir (SPF)	Pg. L3
Treated Yellow Pine	Pg. L3
Rough Cut	Pg. L3
Furring Lath	Pg. L3
Treated Posts	Pg. L4
Glue Lam Posts	Pg. L4
Green Posts	Pg. L4
Trusses	Pg. L5
LVL Headers	Pg. L5
Entry Doors	Pg. L6
Windows	Pg. L6
Ceiling Access Door	Pg. L6
Cannonball Sliding Doors	Pg. L6
Underlayment	Pg. L7
Footers	Pg. L7
Wood Screws	Pg. L7
Simpson Strong Tie	Pg. L7

#1 Yellow Pine and Machine Stress Rated (MSR)

Available in 2' Increments - Header Material



Part #	Description	Size	Lengths
LMSR28**	Yellow Pine MSR	2x8	10'-16'
LMSR210**	Yellow Pine MSR	2X10	10'-20'
LMSR212**	Yellow Pine MSR	2X12	10'-20'
LYP28**	Yellow Pine #1	2x8	10'-20'
LYP2810**	Yellow Pine #1	2x10	10'-20'
LYP2812**	Yellow Pine #1	2x12	10'-20'

Spruce/Pine/Fir Dimensional Lumber (SPF)

Available in 2' Increments



Part #	Description	Size	Lengths
L24**	SPF	2x4	10'-20'
L26**	SPF	2x6	10'-20'
L28**	SPF	2x8	10'-16'

Treated yellow Pine

Available in 2' Increments



Part #	Description	Size	Lengths
LT28**GC	Treated Yellow Pine Ground Contact	2x8	10'-20'
LT26**GC	Treated Yellow Pine Ground Contact	2X6	16'
LT24**GC	Treated Yellow Pine Ground Contact	2X4	16'

Rough Cut / Furring Lath



Part #	Description	Size	Lengths
L1416	Poplar Rough Cut	1" x 3.5"	16'
L1316	Furring Lath	.75" x 3"	16'



Great options for Re-roof Jobs.

Treated Posts



Part #	Description	Size	Lengths
LT46**GC	4 x 6 Treated Heavy Duty Ground Contact	4x6	10'
LT66**GC	6 x 6 Treated Heavy Duty Ground Contact	6x6	12'-18'

Lengths are in stock now. We will stock more lengths as needed

Glue Laminated SYP Posts

Available in 2' Increments



Part #	Description	Size	Lengths
LGL6**	3-ply Glu-lam Post - w/ Bottom 6' Treated	2x6	14'-28'
LGL6**T	3-ply Glu-lam Post - Fully Treated	2x6	14'-18'

3-ply 2x8, 4-ply posts available special order in many lengths

The Green Post

Available in 2' Increments



Part #	Description	Size	Lengths
LGLG6**	Green Post - 3-ply Glu-Lam	2x6	14'-28'

3-ply 2x8, 4-ply Green Posts available special order in many lengths

Most affordable solution to post decay. Provides protection from harmful effects of concrete, soil and moisture.
SYP with bottom 6' Treated.

Other size posts available varying lead times

Standard Truss (In - Stock)

Designed to be installed 4' on center

115 MPH wind load and 30-5-5 pound load rating with no deductions



Part #	Description	Pitch	Lengths
TRU20	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	20'
TRU24	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	24'
TRU26	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	26'
TRU28	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	28'
TRU30	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	30'
TRU32	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	32'
TRU36	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	36'
TRU40	Standard Truss - 4' O/C - 10-1/2" T/C - O/H	4_12	40'

Other custom trusses available w/varying lead times

LVL Headers

Available in 2' Increments



Part #	Description	Size	Lengths
LVL95**	LVL Header	1.75x9.5"	8' - 48'
LVL1178**	LVL Header	1.75x11.88	8'-48'
LVL14**	LVL Header	1.75x14"	8'-48'
LVL16**	LVL Header	1.75"x16"	8'-48'

Please check availability as we will be stocking as needed

Entry Doors



Other Doors available special order

Part #	Description	Jamb	Size
DRWF3BL	6 Panel Pre Hung Door - {INSWING} Left Hinge	4 9/16"	30 68
DRWF3BR	6 Panel Pre Hung Door - {INSWING} Right Hinge	4 9/16"	30 68
DRWF39L	9 Lite Pre Hung Door - {INSWING} Left Hing	4 9/16"	30 68
DRWF39R	9 Lite Pre Hung Door - {INSWING} Right Hinge	4 9/16"	30 68
DLOCK	Standard Keyed (alike) lockset		
Fiberglass door with vinyl jamb and brick mold			

Windows



Part #	Description	Size
United Single Hung		
WSH3648	W/Grids Integral J White	36x48
WSHNG3648	NO Grids Integral J White	36x48
WSHNJ3648	W/Grids Integral No J White	36x48
WSHNGJ3648	NO Grids Integral No J White	36x48
Crystal Double Sliders		
WSHDS3624	No Grids, , with J Channel	36x24
WSHDS3636	No Grids, , with J Channel	36x36
WSHDS4836	No Grids, , with J Channel	48x36
WSHDS4848	No Grids, , with J Channel	48x48

AJ Ceiling Access Door



High performance double wall ceiling access door for interior ceiling liner. Has a white prehung aluminum frame that can be mounted on trusses 24" or 48" on Center

Part #	Description	Size	R/O Size
DCAD	AJ Ceiling Access Door	2' x 4'	17/16 x 44 7/8

Cannonball Sliding Doors



Part #	Description	Length
SDCB**	Cannonball Track 14 ga. galvanized	8-20'
SDSR**	Vertical Side Rail White, Black	8-16'
SDHR**	Vertical Side H Connector Rail -W,B	8-16'
SDBRG**	Bottom Rail for Guide White, Black	8-16'
SDBR**	201 Bottom Rail White, Black	8-16'

Trolleys, Jamb Latches, Stay Guides, Stay Rollers, Track Brackets, Door Pulls and all Sliding Door accessories available

L6

Underlayment



Part #	Description	Size
ROSH	RoloShield Pro	4' x 250'
DB4	Double Bubble	4', 6' x 125'
IDBUS	Ultra-Shield/Therma-Guard	6'x125'
IHWT	House Wrap (Tyvek Brand)	9' x 100'
IHWT10	House Wrap (Tyvek Brand)	10' x 100'
IHWTAPE	House Wrap Tape (Tyvek)	3" -4" x 165'
IWW*T	Window Flashing Tape (Tyvek)	4" -6" x 75'

Footers



Part #	Description	Size
QCM	Quikrete concrete mix	80 LB Bag
CPP	5" Pole Pill	12", 16"
CPF	1" Composite Post Foundation	10", 16"



Wood Screws



Part #	Description	Size
S35DS25LB	DeckGrip T25 Star Dr. Flat Head	10X3.5"
S4516FGBU	Framegrip T30 Star Dr. 500 pc/bucket	4X5/16"

Simpson Strong Tie



Part #	Description	Size
JH10AZ	(H10AZ) - Hurricane Tie U Shaped 535 lb allowable uplift	
JH2.5A	(H2.5A) - Hurricane Tie 535 lb allowable uplift	
JLUS210Z	LUS ZMAX Galvanized Face-Mount Joist Hanger for 2x10	
JLUS28Z	LUS ZMAX Galvanized Face-Mount Joist Hanger for 2x8	
JLUS26Z	LUS ZMAX Galvanized Face-Mount Joist Hanger for 2x6	

Let us know what you need! We will stock more things as needed!

L7

6 Township Drive Paradise, PA 17562 - PH: 717-288-2138 - sales@waglersteel.com



1.
CALL OR REQUEST A
QUOTE



2.
TELL US WHAT YOU
NEED



3.
PICKUP OR RECEIVE
YOUR ORDER



Lumber, Posts, & Trusses

Windows, Doors, Post Frame Accessories

6 Township Drive Paradise, PA 17562 - PH: 717-288-2138 - sales@waglersteel.com